

**To be published in Journal of Comparative Psychology, 2017**

**For reprints of the published article for personal use,**

**please e-mail: [h.h.buchanan-smith@stir.ac.uk](mailto:h.h.buchanan-smith@stir.ac.uk)**

**Common Marmoset (*Callithrix jacchus*) Personality**

Sonja E. Koski, University of Helsinki

Hannah M. Buchanan-Smith and Hayley Ash, University of Stirling

Judith M. Burkart, University of Zurich

Thomas Bugnyar, University of Vienna

Alexander Weiss, University of Edinburgh

Author Note

Sonja E. Koski, Department of Anthropology, University of Zurich; Hannah M. Buchanan-Smith and Hayley Ash, Behaviour and Evolution Research Group and Scottish Primate Research Group, Psychology, Faculty of Natural Sciences, University of Stirling; Judith M. Burkart, Department of Anthropology, University of Zurich; Thomas Bugnyar, Department of Cognitive Biology, University of Vienna; Alexander Weiss, Scottish Primate Research Group, School of Philosophy, Psychology and Language Sciences, Department of Psychology, The University of Edinburgh.

Please address correspondence concerning this article to: Sonja E. Koski, Centre of Excellence in Intersubjectivity in Interaction, Department of Social Sciences, University of Helsinki. Unioninkatu 35, 00014 Helsinki, Finland. E-mail: [sonja.koski@helsinki.fi](mailto:sonja.koski@helsinki.fi)

### Abstract

Increasing evidence suggests that personality structure differs between species, but the evolutionary reasons for this variation are not fully understood. We built on earlier research on New World monkeys to further elucidate the evolution of personality structure in primates. We therefore examined personality in 100 family-reared adult common marmosets (*Callithrix jacchus*) from three colonies on a 60-item questionnaire. Principal components analyses revealed five domains that were largely similar to those found in a previous study on captive, ex-pet, or formerly laboratory-housed marmosets that were housed in a sanctuary. The interrater reliabilities of domain scores were consistent with the interrater reliabilities of domain scores found in other species, including humans. Four domains---conscientiousness, agreeableness, inquisitiveness, and assertiveness---resembled personality domains identified in other nonhuman primates. The remaining domain, patience, was specific to common marmosets. We used linear models to test for sex and age differences in the personality domains. Males were lower than females in patience, and this difference was smaller in older marmosets. Older marmosets were lower in inquisitiveness. Finally, older males and younger females had higher scores in agreeableness than younger males and older females. These findings suggest that cooperative breeding may have promoted the evolution of social cognition and influenced the structure of marmoset prosocial personality characteristics.

Keywords: marmoset, personality, primates, cooperative breeding

## Introduction

Individuals of a species can be described by personality traits associated with dispersal, survival, offspring survival, cooperation, and cognitive ability (Sih & Del Giudice, 2012; Wolf & Weissing, 2012; Smith & Blumstein, 2008). Correlations among these traits are known as behavioral syndromes (Sih et al., 2004), evolutionary characters (Araya-Ajoy & Dingemanse, 2013), or personality components, factors, dimensions, or domains (Weiss & Adams, 2013). These correlations suggest that personality traits are manifestations of one or more underlying, latent processes. The species-specific personality structures defined by traits are then products of natural selection and mechanistic links that maintain the associations at species or population levels (e.g. Garamszegi et al., 2012; Dochtermann & Dingemanse, 2013). Comparing personality structures across species can reveal ecological and phylogenetic patterns of trait associations that hint at the functional bases of the traits (Gosling & Graybeal, 2007; Weiss & Adams, 2013).

Unfortunately, many animal personality studies focus on a small number of traits, such as aggression and boldness, and so an understanding of personality structure evolution is limited (Koski, 2014). Research on nonhuman primate personality bucks this trend (e.g., Koski, 2011a; Massen et al., 2013; Neumann et al., 2013; Konečná et al., 2008, 2012; Morton et al., 2013; Garai et al., 2016; Weiss et al., 2006, 2007, 2009, 2011, 2012a,b, 2015; Eckardt et al., 2015; Neumann et al., 2013; Adams et al., 2015; Uher & Visalberghi, 2016). Differences among species that are assessed on overlapping sets of traits are informative with respect to the evolution of personality structure (Gosling & Graybeal, 2007; Weiss & Adams, 2013). For example, in macaque species (Weiss et al., 2011; Adams et al., 2015), brown capuchin monkeys (Morton et al., 2013), and in mountain gorillas (Eckardt et al., 2015), traits related to gregariousness and sociopositive behavior define one factor, whereas they define two factors in chimpanzees (King & Figueredo, 1997), orangutans (Weiss et al., 2006), and in

humans (Costa & McCrae, 1992). On the other hand, in bonobos, most traits related to gregariousness and sociopositive behavior define a single factor, but a few related to gregariousness define a small additional factor (Weiss et al., 2015). These findings suggest that traits related to sociopositive behavior and gregariousness were fused in the common ancestor of platyrrhines and catarrhines, that the pattern in orangutans, chimpanzees, bonobos, and humans is derived, and that the bonobo pattern possibly represents a transitional form, ancestral to African apes.

Personality studies of New World monkeys are a new direction for primate personality research (see, however, Byrne & Suomi, 2002), and have largely focused on capuchin monkeys (Morton et al., 2013; Manson & Perry, 2013; but see Santillan-Doherty et al., 2010 for spider monkeys, and Iwanicki & Lehmann, 2015; Šlipogor et al., 2016; and Koski & Burkart, 2015 for common marmosets). One reason for the burgeoning interest in studying New World monkey personality is that doing so helps to identify evolutionary scenarios that led to the emergence of personality structures. For example, by studying common marmosets, a cooperatively breeding species, one can determine whether and how cooperative breeding might influence the evolution of personality structure. Among cooperatively breeding species, some adults forgo breeding for several years and remain in the natal group to help carry, groom, and provision their infant siblings (Digby, 2007; Yamamoto et al., 2014). In primates, cooperative breeding has been associated with behavioral and cognitive characteristics, including increased social tolerance and proactive prosociality (Burkart et al., 2014; Schaffner & Caine, 2000), which facilitate performance in socio-cognitive tasks (Burkart & van Schaik, 2010, 2016). For example, like great apes and brown capuchin monkeys (Brosnan & de Waal, 2014; Anderson et al., 2013), common marmosets appear to be able to detect fairness in reciprocal third-party acts (Kawai et al., 2014). Moreover, although high reproductive skew leads to competition and occasionally

escalated aggression in Callitrichids (Schaffner & Caine, 2000; Digby et al., 2007; Yamamoto et al., 2014), aggression and conflict among individuals is infrequent and tends to not damage social relationships (Schaffner et al., 2005).

We assessed personality in common marmosets (*Callithrix jacchus*). Ours is not the first study of personality in a cooperatively breeding primate species. For one, humans are believed to be a cooperatively breeding species (Hrdy, 2009; Kramer, 2015), and have been the focus of the vast majority of personality research. One feature of human personality models, such as the Five-Factor Model (Costa & McCrae, 1992), is the absence of an independent personality domain related to competitive prowess. Instead, traits related to competitive prowess are found in the Five-Factor domains of extraversion, agreeableness, and neuroticism (Costa & McCrae, 1992; cf. Gosling & John, 1999). In contrast, traits related to assertiveness and competitive prowess form an independent personality domain in humans' closest living nonhuman relatives, chimpanzees (King & Figueredo, 1997) and bonobos (Weiss et al., 2015). Another feature of human personality is that agreeableness is defined by positive associations with traits related to helpfulness and prosociality and negative associations with traits related to aggression and competitiveness (Costa & McCrae, 1992). Its counterparts in chimpanzees (King & Figueredo, 1997; Freeman et al., 2013), bonobos (Weiss et al., 2015; Garai et al., 2016), orangutans (Weiss et al., 2006), and gorillas (Gold & Maple, 1994), on the other hand, are defined only by traits related to sociopositivity. These differences between the personality structures of humans and great apes suggest that a combination of high assertiveness and aggressiveness may be disadvantageous in cooperative breeders, and that combinations of sociopositive tendencies and low aggressiveness may be advantageous in cooperative breeders.

A recent study of common marmosets lent support to the possibility that certain combinations of traits may be selected for or against specifically due to cooperative breeding,

while other combinations may be due to a more general primate heritage. Iwanicki and Lehmann (2015) used ratings and behavioral observations to study marmoset personality. The ratings revealed an extraversion domain that resembled domains labeled confidence, dominance, or assertiveness that have been found in other nonhuman primate species (Freeman & Gosling, 2010), and conscientiousness and openness domains that resembled like-named domains in chimpanzees (King & Figueredo, 1997), humans (Costa & McCrae, 1992; Digman, 1990), and bonobos (Weiss et al., 2015). Additionally, they found an agreeableness domain that resembled its human counterpart, as it included positive loadings of prosocial traits and negative loadings of aggression. Moreover, Iwanicki and Lehmann's behavioral observations that revealed agreeableness, neuroticism, and perceptual sensitivity domains, showed that aggressive behavior was negatively correlated with agreeableness.

The identification of a conscientiousness domain in common marmosets is intriguing. To date, conscientiousness and similar domains, such as attentiveness, have only been identified in humans (Costa & McCrae, 1992), chimpanzees (King & Figueredo, 1997), bonobos (Weiss et al., 2015), and brown capuchin monkeys (Morton et al. 2013), all known for their advanced cognitive abilities. This finding is thus consistent with the hypothesis that cooperative breeding favored an increase of marmosets' cognitive skills, at least in the social domain, perhaps by selecting for increased social attentiveness (Burkart & van Schaik, 2016).

Our main aim was to further examine personality structure in common marmosets. To achieve this, we tested whether ratings of common marmosets on a broad questionnaire would yield evidence for domains resembling those uncovered by Iwanicki and Lehmann's (2015) study. Our sample differed from that of Iwanicki and Lehmann. The common marmosets in our sample were adults who had been parent-reared. Iwanicki and Lehmann's sample were former pets or former laboratory animals that were living in a sanctuary, and, furthermore, many had been hand- or foster-reared (35/63), and the sample included juveniles

(5/63) as well as adults. These differences are important. Pet monkeys often have abnormal rearing histories and hand-rearing is known to affect behavior (Soulsbury et al., 2009). Moreover, the curiosity and playfulness of juveniles may skew the personality profiles. As such, this study will show the degree to which the personality domains found by Iwanicki and Lehmann are not specific to their sample.

Our second aim was to examine sex- and age-differences in personality. Sex differences in mean trait level or syndrome structure are found in many species (e.g. Schuett & Dall, 2009; Michelangeli et al., 2016; Fresnau et al., 2014), including non-human primates (King et al., 2008) and humans (McCrae et al., 2005). Previous research has not found any differences between male and female common marmosets in experimentally assessed personality traits (Koski & Burkart, 2015; Šlipogor et al., 2016). However, females of this species have been described to be more responsive in contexts involving food (Box et al., 1997) and to explore novel objects in a foraging paradigm faster and more efficiently than males (Yamamoto et al., 2004). Moreover, the patterns of prosocial behavior differ between male and female helpers: in males, but not females, prosociality is higher in older, more experienced individuals (Burkart, 2015). This suggests that the previous studies may have failed to capture sex differences or that these differences are not reflected in repeatable personality traits.

## Methods

### Subjects

The subjects were 100 common marmosets that ranged in age from 2 to 14 years ( $M = 6.36$ ,  $SD = 3.05$ ). Of these subjects, 51 were males that ranged in age from 2 to 14 years ( $M = 6.02$ ,  $SD = 3.03$ ) and 49 females that ranged in age from 2 to 14 years ( $M = 6.71$ ,  $SD = 3.06$ ).

### Housing and Husbandry

Subjects were housed at Dstl. Salisbury, United Kingdom, the University of Vienna,

Department of Cognitive Biology, Austria, and the University of Zürich, Anthropological Institute Primate Research Station, Switzerland. All subjects were born, reared, and housed in social groups. The study was approved after review by the Stirling University Psychology Ethics Committee and complies with legal and ethical requirements in the UK.

**United Kingdom.** This subsample included 51 subjects (25 males, 26 females) that were born at the facility. Twins and singletons were reared in their natal group, while triplets received supplementary feeding sessions for 2h twice per day for the first 8 weeks of life, spending the remainder of their time with the group. This practice has been shown to have little to no effect on neophobia, anhedonia, nor performance on cognitive bias tasks (Ash & Buchanan-Smith, 2016). Breeding marmosets (in groups of 2-10 individuals) were housed in one of three family rooms, each containing 8-12 groups of marmosets, in cages measuring 1.50m × 1.20m × 2.2m. Mixed-sex pairs were housed in one of three stock rooms, each containing 10-18 pairs, in wire cages measuring 1.0m × 0.60m × 1.80m. Cages were furnished with a nestbox, branches and logs, ropes, platforms, and perches, as well as suspended toys, including ladders, buckets, tea towels, hanging baskets, and food devices. Each family/pair also had access to a veranda. Temperature was thermostatically controlled at 23-24°C and humidity at 55% (range 45-65%), with lighting provided on a 12:12 h light:dark cycle. All marmosets had *ad libitum* access to water. Primate pellets were given between 08:00-09:00, and a variety of fruit was provided between 13:30 and 14:30. Malt loaf, egg, rusk, dates, peanuts, and bread were provided on alternate days. Gum arabic and banana milkshake were both given twice a week. Mealworms and forage mix were also scattered twice a week. Wet shavings were picked up each week, with a full cage clean every 8 weeks in breeding rooms, and every 4 weeks in stock rooms. Each marmoset was weighed once a month. New enrichment was provided once a week, including food parcels, boxes, and mealworm feeders. Each family had access to a 'play cage' for 3 days each, while stock pairs

were provided with a 'bug box'. Every animal was syringe trained once a month, and human socialization was carried out regularly. Housing and husbandry was in accordance with relevant national legislation.

**The University of Vienna.** This subsample included 21 subjects (12 males, 9 females) housed in 3 social groups consisting of a breeding pair and their offspring. All individuals were born in captivity and housed in their family groups. Every family group lived in a wire mesh indoor enclosure connected with a passageway system of tunnels with moveable doors to an outdoor enclosure ( $2.50 \times 2.50 \times 2.50$  m indoors;  $2.50 \times 2.50 \times 2.50$  m outdoors). All enclosures had enrichment objects (branches, ropes, platforms, blankets, sleeping boxes, and tunnels), with wood shavings as floor bedding. An opaque plastic barrier prevented visual contact between adjacent family groups, while the groups remained in acoustic and olfactory contact. Daylight was the main source of lighting, but, because of the low amount of natural light in winter, lamps were maintained on a stable 12:12h light:dark cycle. In addition, one heating lamp per family group was always available on top of each enclosure. Temperature was maintained at 24-26°C and humidity was kept at 40-60%. All marmosets had *ad libitum* access to water and were fed every day at noon with a selection of marmoset pellets, fruits, vegetables, grains, milk products, marmoset jelly, protein and vitamin supplements, and insects. Several times per week monkeys received either a foraging box with mealworms or marmoset gum on the branches. The housing conditions were in accordance with Austrian legislation and the European Association of Zoos and Aquaria husbandry guidelines for Callitrichidae.

**The University of Zurich.** This subsample included 28 subjects (14 males, 14 females) housed in 6 social groups consisting of a breeding pair and 1 to 4 adult offspring. All individuals were born in the facility and reared by their natural parents in family groups. Subjects were housed in large indoor-outdoor enclosures comprising one or several basic

units (2m × 1m × 2m indoors; 2.75m × 1.70m or 2.50m × 2.40m outdoors). The enclosures included ropes, branches, and other enrichment devices, and were covered with natural bedding material. Both indoor and outdoor enclosures had heating lamps. Subjects had almost continuously free access to both enclosures, except during the necessary husbandry routines, at outside temperature < 5°C, and at night. They were fed three times a day with a diet of carbohydrate-rich mush enriched with vitamins and minerals, fruit, vegetables, gum, insects, boiled egg, and nuts. Water was available *ad libitum*. The housing conditions were in accordance with Swiss legislation and the European Association of Zoos and Aquaria husbandry guidelines for Callitrichidae.

### **Ratings**

Eighteen researchers or animal keepers (6 in the United Kingdom, 5 in Austria, and 7 in Switzerland) with one to thirteen years of familiarity with the subjects rated the marmosets on a personality questionnaire. In the United Kingdom and in Switzerland, each subject was rated by 2 people, and in Austria, each subject was rated by 5 people.

The personality questionnaire consisted of 60 items. Each item consisted of an adjective paired with a brief definition that set it in the context of marmoset behavior (see Table S1). For example, the item ‘helpful’ was defined as “Monkey is willing to assist, accommodate to, or cooperate with other monkeys.” Because of a clerical error, one item (unemotional) was included twice. For our analyses, we omitted ratings on the second occurrence of this item. Of the 59 items, 47 were taken from the Hominoid Personality Questionnaire<sup>[1]</sup> (Weiss et al., 2009), which, together with its predecessors (King & Figueredo, 1997; Weiss et al., 2006), and offshoots (Konečná et al., 2008, 2012; Iwanicki & Lehman, 2015), has been used to assess personality in several nonhuman primate species (Weiss, 2017). A further 12 items were taken from a questionnaire used to study Hanuman langurs (Konečná et al., 2008) and Barbary macaque personality (Konečná et al., 2012).

The instructions on the questionnaire asked raters to judge subjects based on their overall impressions of that monkey, to assign a rating of 1 (absence of a trait) to 7 (extreme presence of a trait) for each trait, and to not discuss their ratings with other raters. To minimize misunderstandings by German-speaking raters in Austria and Switzerland, we translated the questionnaire into German and the raters had the forms available in both languages at all times.

### **Analyses**

We used two intraclass correlations (*ICCs*) to determine how consistent raters were in their ratings of each item. The first of these, *ICC*(3,1), indicates the reliability of ratings by any single judge. The second, *ICC*(3,*k*), measures the reliability of the mean rating of *k* judges (Shrout & Fleiss, 1979).

As in previous studies (e.g. Morton et al., 2013), for reliable items, we used principal components analysis to examine the personality structure of the mean ratings across all raters. To determine how many components to extract, we inspected the scree plot and used parallel analysis (Horn, 1965). We then subjected our components to an orthogonal (varimax) and oblique (promax) rotation. If the varimax and promax rotations yielded similar components and the interfactor correlations were modest, we interpreted the varimax rotation. If the two rotations yielded different components or the inter-factor correlations were moderate to large, we interpreted the promax rotation.

We then computed unit-weighted component scores (Gorsuch, 1984) to be used in our final analyses. This involved our assigning weights of 0 to component loadings less than |0.4|, weights of +1 to component loadings greater than or equal to 0.4, and weights of -1 to component loadings that were less than or equal to -0.4. In the event that an item had multiple loadings greater than or equal to |0.4| we assigned the weight to the component on which the item had the highest absolute loading. We then transformed these raw unit-weighted scores

into z-scores (mean = 0, SD = 1). In the first of the two final analyses we ascertained the interrater reliabilities of the domains, again using  $ICC(3,1)$  and  $ICC(3,k)$ . In the second of these analyses we used five multiple regressions (one for each personality domain) to test for sex and age effects. Here the component score was the dependent variable and the independent variables were sex (-1 for females, +1 for males), age (mean centered), and a product term representing the sex  $\times$  age interaction.

We conducted all analyses using version 3.3.2 of R (R Core Team, 2016). Parallel analysis and principal components analysis were conducted using the `fa.parallel` and `principal` functions from the `psych` package (Revelle, 2015), respectively. Multiple regressions were conducted using the `lm` function.

## Results

### Out of Range and Missing Data

One rater of one marmoset in Austria assigned a “0” to a single item and 5 raters of 24 marmosets in the United Kingdom assigned a “0” to up to 12 ratings, each. Combined, across 25 marmosets, 90 items were assigned a rating of “0”. We assigned a “1” to these ratings. In addition, for the marmosets housed in the United Kingdom, one rater did not rate two marmosets on a single trait, each, a second did not rate one marmoset on a single trait, and a third did not rate three marmosets on a single trait, each, and one marmoset on two traits. For the marmosets housed in Austria, one rater did not rate two marmosets on a single trait, each. For the marmosets housed in Switzerland, one rater did not rate one marmosets on two traits. In all 12 of these cases we substituted the mean value of the trait across all marmosets in the study.

### Item Interrater Reliabilities

The interrater reliabilities for all the items are available in Table S2. The interrater reliabilities of the items ‘manipulative’ and ‘conventional’ were below 0.  $ICC(3,1)$  estimates

for the remaining items ranged from 0.01 for ‘popular’ to 0.37 for ‘gentle’, and the mean and standard deviation of the  $ICC(3,1)$  estimates for these items were 0.20 and 0.09, respectively. The interrater reliabilities of single ratings were lower but within the range of those in studies of humans and other species (Morton et al., 2013; Weiss et al., 2011, 2015; Möttus et al., 2017) and considered as acceptable (e.g. Möttus et al., 2014).  $ICC(3,k)$  estimates for the items with reliabilities greater than 0 ranged from 0.03 for ‘popular’ to 0.60 for ‘gentle’ and the mean and standard deviation of the  $ICC(3,k)$  estimates for these items were 0.38 and 0.14, respectively. Note, that  $ICC(3,k)$  estimates are not typically compared between studies because they will, in part, vary as a function of how many raters there were per subject whereas  $ICC(3,1)$  estimates do not.

### **Personality Structure**

Parallel analysis and examination of the scree plot indicated that there were five components with eigenvalues equal to 16.09, 8.04, 4.84, 4.13, and 2.71, which accounted for 63% of the variance. To be certain that the five-component solution was best we also extracted six components (see Tables S3 and S4). The sixth component had an eigenvalue of 1.84. After applying a varimax rotation, only the items ‘selective’ and ‘stingy’ had unique, salient loadings on that component (0.50 and 0.49, respectively). After applying a promax rotation, only the items ‘selective’, ‘stingy’, and ‘alert’ had unique, salient loadings on that component (0.53, 0.52, and -0.40, respectively). The sixth component was thus uninterpretable and so we retained a five-component solution.

For the five-component solution, because there were only minor differences between varimax and promax solutions (all congruence coefficients  $\geq 0.97$ ) and the absolute correlations between components were modest (range = 0.03 to 0.39,  $M = 0.13$ ,  $SD = 0.12$ ), we retained the varimax-rotated solution (see Table S5 for the promax-rotated solution and the correlations between components). Finally, we compared the five varimax-rotated

components to five varimax-rotated factors (see Table S6). The component and factor structures were virtually identical (all congruence coefficients  $\geq 0.99$ ).

The five varimax-rotated components are presented in Table 1. For ease of interpretation, we reflected the first, third, and fifth components by multiplying loadings by -1. The first component resembled conscientiousness domains found in common marmosets (Iwanicki & Lehmann, 2015), chimpanzees (King & Figueredo, 1997; Weiss et al., 2007; Weiss et al., 2009; King et al., 2005), and bonobos (Weiss et al., 2015), though it was broader than the chimpanzee and bonobo conscientiousness domains as it also encompassed traits related to play behavior. This component thus described differences in low antagonism, high self-control, and low playfulness, and we therefore named it ‘conscientiousness’.

The second component described high levels of sociopositive and prosocial traits, and thus was a mix of traits related to the extraversion and agreeableness domains in humans (Costa & McCrae, 1992), chimpanzees (King & Figueredo, 1997), and orangutans (Weiss et al., 2006). Similar to the agreeableness domain found by Iwanicki and Lehmann (2015), this component included negative loadings of socio-negative traits such as ‘aggressive’ and ‘irritable’. Thus, it differed from bonobo agreeableness (Weiss et al., 2015), brown capuchin monkey sociability (Morton et al., 2013), and the friendliness domain found in various macaque species (Adams et al., 2015; Weiss et al., 2011). In light of these comparisons, we named this component ‘agreeableness’.

The third component was defined by loadings on items related to assertiveness, dominance, such as a positive loading of ‘dominant’ and a negative loading of ‘submissive’, but also by negative loadings on traits related to anxiety, vulnerability, and vigilance, such as ‘fearful’ and ‘cautious’. This component was thus similar to the extraversion domain found in the previous study of marmosets (Iwanicki & Lehmann, 2015) and domains labeled dominance, confidence, and assertiveness in other nonhuman primate species (Freeman &

Gosling, 2010). We thus named this component ‘assertiveness’.

The fourth component was characterized by items related to attentiveness in brown capuchin monkeys (Morton et al., 2013) and in bonobos (Weiss et al., 2015). For example, ‘patient’ had a positive loading on this component and ‘distractible’ had a negative loading on this component. It also included positive loadings from items related to sociopositive behaviors, such as ‘sensitive’ and ‘sympathetic’, and problem solving, such as ‘inventive’ and ‘intelligent’. This component is thus different from the domains identified by Iwanicki and Lehmann (2015) and appears to not have been found in other nonhuman primates. We tentatively named this component ‘patience’.

The fifth component was characterized by positive and negative loadings of traits related to activity, such as ‘active’ and ‘lazy’, respectively, positive loadings on traits related to exploratory behavior, such as ‘inquisitive’, a negative loading on ‘solitary’, and a positive loading on a trait related to vigilance (‘alert’). It thus strongly resembled the openness domain identified by Iwanicki and Lehmann (2015). It also resembles the orangutan extraversion domain (Weiss et al., 2006), which was characterized by traits related to gregariousness and exploratory behavior. We named this component ‘inquisitiveness’.

### **Component Interrater Reliabilities**

The interrater reliabilities of individual ratings for conscientiousness, sociability, assertiveness, patience, and inquisitiveness were 0.41, 0.44, 0.32, 0.39, and 0.26, respectively, and thus comparable to those derived in humans (McCrae & Costa, 1987) and in nonhuman primates (Weiss et al., 2011, 2015). The interrater reliabilities of mean ratings for these components were 0.65, 0.68, 0.56, 0.63, and 0.48, respectively.

### **Sex and Age Effects**

The effects of sex, age, and the sex  $\times$  age interaction are presented in Table 2. For conscientiousness, males were lower than females, but this effect was negligible and not

significant. Moreover, older subjects were lower in conscientiousness, but this effect was not significant. The sex  $\times$  age interaction was also not significant.

For agreeableness, males were slightly higher than females and older subjects were higher in sociability, but neither of these effects was significant. There was a significant sex  $\times$  age interaction: among males, older subjects were higher in agreeableness whereas among females, younger individuals were higher in agreeableness ( $b = 0.07$ , 95% CI = 0.03, 0.01,  $p = 0.029$ ). However, given the number of statistical tests and the non-significant sex and age effects, this effect may be a false positive and should be treated with caution.

For assertiveness, males and older subjects scored lower than females and younger subjects, respectively, but neither of these effects were significant. The sex  $\times$  age interaction was also not significant.

For patience, males scored significantly lower than females ( $b = -0.30$ , 95% CI = -0.48, -0.11,  $p = 0.002$ ). Although older subjects were lower in patience, the effect of age was not significant. There was, however, a significant sex  $\times$  age interaction indicating that the difference between males and females was smaller among older subjects ( $b = 0.07$ , 95% CI = 0.01, 0.14,  $p = 0.020$ ).

For inquisitiveness, males and older subjects were lower, but only the effect of age was significant ( $b = -0.13$ , 95% CI = -0.19, -0.07,  $p < 0.001$ ). The sex  $\times$  age interaction was not significant.

## Discussion

We asked individuals familiar with 100 common marmosets to rate them on 59 personality traits. Their ratings revealed five domains---conscientiousness, agreeableness, assertiveness, patience, and inquisitiveness---that resembled domains found in a previous study of common marmosets (Iwanicki & Lehmann, 2015).

Conscientiousness resembled domains found in humans (Digman, 1990; Costa &

McCrae, 1992) and in cognitively advanced nonhuman primates, such as chimpanzees (King & Figueredo, 1997), brown capuchin monkeys (Morton et al., 2013), and bonobos (Weiss et al., 2015). As such, this finding supports Iwanicki and Lehmann's (2015) finding in marmosets, and indicates that marmosets have relatively advanced cognitive skills.

Particularly social cognition is advanced in marmosets. It may be favored due to the need for increased social attentiveness and tolerance, as cooperative breeding requires an ability to coordinate cooperative actions and to pay attention to others' actions and needs (Burkart & van Schaik, 2010, 2016).

Assertiveness resembled domains found in several nonhuman primate species (Freeman & Gosling, 2010) and corroborated Iwanicki and Lehmann's (2015) earlier finding of a personality domain related to dominance in common marmosets. This finding lends further support to the notion that domains like dominance, confidence, or assertiveness are universal features of personality in nonhuman primates (see, e.g., Freeman & Gosling, 2010). Apparently, the association of traits related to assertiveness and boldness is not selected against in marmosets. Thus, cooperative breeding has perhaps not been the main driver of the human pattern, where traits associated with assertiveness are found within the extraversion, agreeableness, and neuroticism domains.

Inquisitiveness captured an association of curiosity, activity, exploration, and vigilance. It was thus like the openness domain in the study of marmosets by Iwanicki and Lehmann (2015), and resembled the openness domain in brown capuchin monkeys (Morton et al., 2013). Similar domains that capture the association of activity and exploratory tendency have been identified in Old World monkeys, including vervet monkeys (McGuire et al., 1994) and rhesus macaques (Weiss et al., 2011), and in great apes, including chimpanzees (King & Figueredo, 1997; Weiss et al., 2007, 2009) and bonobos (Weiss et al. 2015). As such, it is likely that this domain may also be a universal primate personality domain. In

contrast, we did not find anything resembling the perceptual sensitivity domain, which captured activity, vigilance, and time spent foraging relative to feeding, that was identified using behavioral data (Iwanicki & Lehmann, 2015). Interestingly, in Iwanicki & Lehmann's (2015) study the items vigilance and activity were captured by the openness domain, as was the case in our study, but openness did not correlate with perceptual sensitivity. This suggests that the behavioral measures of activity and vigilance are not assessing the same constructs as are ratings of those items. Therefore, in the future studies it would be useful to assess the criterion validity of the openness and vigilance related items and behaviors (see below) and address the implication of such differences between the methods.

Of the remaining domains, agreeableness encompassed mostly prosocial personality characteristics and, negatively, loadings on traits related to aggression. This finding supports further the similarity in marmoset and human agreeableness identified earlier by Iwanicki and Lehmann (2015), and implies that sociopositive traits of gregariousness and prosociality associated with low aggressiveness may be adaptive in cooperative breeders.

Finally, the patience domain appeared to be unique to common marmosets. It included characteristics related to a socio-positive orientation, attentiveness, inventiveness, and focus. The existence of this domain, then, suggests that there was selection for a positive correlation between prosocial traits and traits related to persistence and cognitive performance. However, the agreeableness domain also captured prosocial traits, thus, socio-positive and helpful characteristics are not unidimensional in marmosets. One possibility is that the patience domain is akin to the "helping syndrome", i.e., the positive association of repeatable prosocial behaviors directed to offspring, found in mongooses (*Mungos mungo*) and meerkats (*Suricata suricatta*). However, in marmosets, the prosocial characteristics in patience are not those related to actual helping, which are found in agreeableness, but those related to discerning others' needs and responding to them kindly.

Another possibility is that feeding ecology may have led to the emergence of a patience domain. Feeding ecology has proven an important driver of behavioral and brain evolution in nonhuman primates (e.g. DeCasien et al., 2017; MacLean et al., 2014). For marmosets, one possibility is that the evolution of the patience domain was favored by gum feeding, namely as gum is an embedded food source and takes time and effort to extract. Such a foraging strategy may promote cognition and curiosity (Burkart et al., 2016; Schuppli et al., 2016, Stevens et al. 2005). Extractive foraging is suggested to favor an association of exploration tendency and persistence (Massen et al., 2013). In our study we found that, although inquisitiveness and patience domains were not correlated (Table S5), two traits that defined inquisitiveness, ‘exploratory’ and ‘inquisitive’, had strong loadings on patience, too. Another possibility is that the patience domain emerged in response to insectivory. Flushing out insects and capturing fast moving prey presumably requires inquisitiveness and patience, respectively. To test which of these hypotheses is supported requires a phylogenetic analysis of primate and non-primate species that differ in their socioecologies and feeding ecologies, that have been assessed on a large number of traits. However, the proposed hypotheses need not be mutually exclusive, as marmoset prosociality entails proactive food sharing (Burkart et al., 2007, 2014), so both obtaining and provisioning food items may favor the positive associations of traits found in the patience domain.

In sum, the present findings mostly resemble those in a previous study of common marmosets (Iwanicki & Lehmann, 2015), despite the marmosets in the current study having different rearing histories and being rated by a somewhat different and much longer questionnaire. Although there were also differences in cage size and complexity in the current study, which may affect behavior (Kitchen & Martin, 1995: common marmosets), it is unlikely that the smaller cages of the UK colony influenced personality significantly, as these were still relatively large, enriched enclosures allowing opportunities for natural behavior. As

such, this study supports the generalizability of personality structure in humans (McCrae et al., 2005) and in chimpanzees (Dutton, 2008; King et al., 2005; Weiss et al., 2007, 2009; Freeman et al., 2013) across different samples. We also found that cooperative breeding may have led to a conscientiousness-like domain in common marmosets, which may be related to cooperative breeding affecting the evolution of increased social attention and cognition. Further, we hypothesize that cooperative breeding may have promoted an inverse association between aggression and prosociality in humans, as we found a similar pattern in marmosets. Finally, we hypothesize that cooperative breeding may have led to the emergence of a unique patience domain in common marmosets. To test these hypotheses, further, comparative studies of callitrichids and more generally, cooperatively breeding primates, are warranted. It would be particularly beneficial if the studies would also include behavioral measures and experiments to complement the questionnaires.

Iwanicki and Lehmann (2015) found evidence of agreement between behavioral and rated measures, most strongly concerning rated agreeableness and the behavioral measures of prosociality and aggression. In contrast, openness and assertiveness, which were obtained from ratings, were not correlated with any behavioral measures, bar play and self-grooming. Several studies on other primate species have assessed the construct validity of questionnaires (Pederson et al., 2005; Morton et al., 2013; Konečná et al., 2012; Uher & Asendorpf, 2008; Freeman et al., 2013), and the results are mixed with some, but not all, constructs showing correlations between conceptually similar behavioral measures of the same animals. Correspondence of rated components and measured behaviors tends to be better in studies on ape personality (Eckardt et al., 2015; Pederson et al., 2005; Freeman et al., 2013). As has been discussed elsewhere (e.g., Uher, 2008; Uher et al., 2008; Koski, 2011b), this may be because the rating method depends on the degree to which people can intuitively aggregate the study species' behavior into meaningful categories. This may be more difficult for species

that are taxonomically distant from humans; however, at least in primates, the structures derived using behavioral measures and ratings are often highly similar (compare, for example, Table 3 in Neumann et al., 2013 and Table S6 in Adams et al., 2015 or Table 6 in Morton et al., 2013 and Table 3 in Uher & Visalberghi, 2016). Moreover, construct validation typically is post-hoc without predictions of the expected correlations (but see Eckardt et al., 2015 and Uher et al., 2008). We thus urge future researchers to *a priori* consider what correlations one should and should not expect based on the functions of these behaviors in the species of interest.

We found few age- or sex-related differences in the component scores. Inquisitiveness was lower in older individuals, which is consistent with findings in, for example, chimpanzees (Massen et al., 2013) and humans (Roberts et al., 2006). We also found a significant sex by age interaction for agreeableness: older males and younger females had higher scores than younger males and older females. This result is consistent with sex differences in the amount of prosocial behavior in male and female helpers: rearing experience and age increase proactive behavior in male and decrease it in female helpers (Burkart, 2015). These patterns are probably related to the fact that, among callitrichids, female helpers are more likely to disperse as they get older whereas males are more likely to inherit the breeding position in their natal groups (Yamamoto et al., 2014).

### **Conclusion**

We found that marmosets present three personality domains like those in other primates, that is, agreeableness, assertiveness, and inquisitiveness, a conscientiousness domain that has been found in great apes and brown capuchin monkeys in addition to marmosets, and a domain, patience, that may have come about via selection for correlations between traits related to prosociality, intelligence, and persistence. Together, these findings suggest that the selection pressures related to cooperative breeding may have influenced

personality evolution in this species.

### **Acknowledgements**

We thank the staff at the three facilities (Dstl. Salisbury, UK; Zurich University Primate Station, Switzerland, and Vienna University Cognitive Biology primate facility, Austria) for their assistance with the research and dedicated care of the marmosets. We are grateful to all those who completed the questionnaires, namely: Michèle Schubiger, Christa Finkenwirth, Eloisa Martins, Heinz Galli, Thomas Bischof, Alexandra Christian, Caecilia Faltin, Martina Schiestl, Tina Gunhold, and Vedrana Šlipogor. We are grateful to Doree Fragazy and the three anonymous reviewers for their helpful comments that greatly improved the manuscript. HA was funded by a studentship awarded by the NC3Rs.

## References

- Adams, M. J., Majolo, B., Ostner, J., Schülke, O., De Marco, A., Thierry, B., Engelhardt, A., Widdig, A., Gerald, M.S., & Weiss, A. (2015). Personality structure and social style in macaques. *Journal of Personality and Social Psychology, 109*, 338-353.
- Anderson, J. R., Takimoto, A., Kuroshima, H., & Fujita, K. (2013). Capuchin monkeys judge third-party reciprocity. *Cognition, 127*, 140-146.
- Anestis, S. F. (2005). Behavioral style, dominance rank, and urinary cortisol in young chimpanzees (*Pan troglodytes*). *Behaviour, 142*, 1251-1274.
- Araya-Ajoy, Y. G., & Dingemanse, N. J. (2014). Characterizing behavioural “characters”: an evolutionary framework. *Proceedings of the Royal Society B: Biological Sciences, 281*, 20132645-20132645.
- Ash, H., & Buchanan-Smith, H. M. (2016). The long-term impact of infant rearing background on the affective state of adult common marmosets (*Callithrix jacchus*). *Applied Animal Behaviour Science, 174*, 128-136.
- Box, H. O. (1997). Foraging strategies among male and female marmosets and tamarins (Callitrichidae): New perspectives in an underexplored area. *Folia Primatologica, 68*, 296-306.
- Brosnan, S. F., & de Waal, F. B. M. (2014). Evolution of responses to (un)fairness. *Science, 346*, 1251776-1251776.
- Burkart, J. (2015). Opposite effects of male and female helpers on social tolerance and proactive prosociality in callitrichid family groups. *Scientific Reports, 5*, 1-9.
- Burkart, J. M., & van Schaik, C. P. (2010). Cognitive consequences of cooperative breeding in primates? *Animal Cognition, 13* 1-19.
- Burkart, J. M., & Van Schaik, C. P. (2016). Revisiting the consequences of cooperative breeding. *Journal of Zoology, 299*, 77-83.
- Burkart, J. M., Fehr, E., Efferson, C., & van Schaik, C. P. (2007). Other-regarding preferences in a non-human primate: Common marmosets provision food altruistically. *Proceedings of the National Academy of Sciences, 104*, 19762-19766.
- Burkart, J. M., Allon, O., Amici, F., Fichtel, C., Finkenwirth, C., Heschl, A., Huber, J., Isler, K., Kosonen, Z.K., Martins, E., Meulman, E.J., Richiger, R. Rueth, K., Spillmann, B., Wiesendange, S., & van Schaik, C.P. (2014). The evolutionary origin of human hyper-cooperation. *Nature Communications, 5*, 4747.
- Byrne, G., & Suomi, S. J. (2002). Cortisol reactivity and its relation to homecage behavior and personality ratings in tufted capuchin (*Cebus paella*) juveniles from birth to six years of age.

- Psychoneuroendocrinology*, 27, 139-154.
- Carter, A. J., English, S., & Clutton-Brock, T. H. (2014). Cooperative personalities and social niche specialization in female meerkats. *Journal of Evolutionary Biology*, 27, 815-825.
- Costa, P. T., Jr. & McCrae, R. R. (1992). Four ways five factors are basic. *Personality and Individual Differences*, 13, 653-665.
- DeCasien, A. R., Williams, S. A., & Higham, J. P. (2017). Primate brain size is predicted by diet but not sociality. *Nature Ecology & Evolution*, 1, 1–7. <http://doi.org/10.1038/s41559-017-0112>
- Digby, L. J., Ferrari, S. F., & Saltzman, W. (2007). *Callitrichines: the role of competition in cooperatively breeding species*. In Campbell, C.J., Fuentes, A., MacKinnon, K.C., Panger, M.A., Bearder, S.K. (Eds.), *Primates in Perspective* (pp. 85–105). New York: Oxford University Press.
- Digman, J. M. (1990). Personality structure: Emergence of the Five-Factor Model. *Annual Review of Psychology*, 41, 417-440.
- Dochtermann, N. A., & Dingemanse, N. J. (2013). Behavioral syndromes as evolutionary constraints. *Behavioral Ecology*, 24, 806-811.
- Dutton, D. M. (2008). Subjective assessment of chimpanzee (*Pan troglodytes*) personality: Reliability and stability of trait ratings. *Primates*, 49, 253-259.
- Eckardt, W., Steklis, H. D., Steklis, N. G., Fletcher, A. W., Stoinski, T. S., & Weiss, A. (2015). Personality dimensions and their behavioral correlates in wild Virunga mountain gorillas (*Gorilla beringei beringei*). *Journal of Comparative Psychology*, 129, 26-41.
- English, S., Nakagawa, S., & Clutton-Brock, T. H. (2010). Consistent individual differences in cooperative behaviour in meerkats (*Suricata suricatta*). *Journal of Evolutionary Biology*, 23, 1597-1604.
- Freeman, H. D., & Gosling, S. D. (2010). Personality in nonhuman primates: A review and evaluation of past research. *American Journal of Primatology*, 71, 1-19.
- Freeman, H. D., Brosnan, S. F., Hopper, L. M., Lambeth, S. P., Schapiro, S. J., & Gosling, S. D. (2013). Developing a comprehensive and comparative questionnaire for measuring personality in chimpanzees using a simultaneous top-down/bottom-up design. *American Journal of Primatology*, 75, 1042-1053.
- Fresneau, N., Kluehn, E., & Brommer, J. E. (2014) A sex-specific behavioral syndrome in a wild passerine. *Behavioural Ecology* 25, 359–367.
- Garai, C., Weiss, A., Arnaud, C., & Furuichi, T. (2016). Personality in wild bonobos (*Pan paniscus*). *American Journal of Primatology*, 78, 1178-1189.

- Garamszegi, L. Z., Markó, G., & Herczeg, G. (2012). A meta-analysis of correlated behaviours with implications for behavioural syndromes: mean effect size, publication bias, phylogenetic effects and the role of mediator variables. *Evolutionary Ecology*, *26*, 1213-1235.
- Gold, K. C., & Maple, T. L. (1994). Personality assessment in the gorilla and its utility as a management tool. *Zoo Biology*, *13*, 509-522.
- Gorsuch, R. L. (1984). *Factor analysis*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- Gosling, S. D., & Graybeal, A. (2007). Tree thinking: A new paradigm for integrating comparative data in psychology. *The Journal of General Psychology*, *134*, 259-277.
- Horn, J. L. (1965). A rationale and test for the number of factors in factor analysis. *Psychometrika*, *30*, 179-185.
- Hrdy, S. B. (2009). *Mothers and others. The evolutionary origins of mutual understanding*. Cambridge MA: Belknap Press.
- Iwanicki, S., & Lehmann, J. (2015). Behavioral and trait rating assessments of personality in common marmosets (*Callithrix jacchus*). *Journal of Comparative Psychology*, *129*, 205-217.
- Kawai, N., Yasue, M., Banno, T., & Ichinohe, N. (2014). Marmoset monkeys evaluate third-party reciprocity. *Biology Letters*, *10*, 20140058–20140058.
- King, J. E., & Figueredo, A. J. (1997). The five-factor model plus dominance in chimpanzee personality. *Journal of Research in Personality*, *31*, 257-271.
- King, J. E., Weiss, A., & Farmer, K. H. (2005). A chimpanzee (*Pan troglodytes*) analogue of cross-national generalization of personality structure: Zoological parks and an African sanctuary. *Journal of Personality*, *73*, 389-410.
- Kitchen, A. M., & Martin, A. A. (1995). The effects of cage size and complexity on the behavior of captive common marmosets (*Callithrix jacchus jacchus*). *Laboratory Animals*, *30*, 317-326.
- Konečná, M., Lhota, S., Weiss, A., Urbánek, T., Adamová, T., & Pluháček, J. (2008). Personality in free-ranging Hanuman langur (*Semnopithecus entellus*) males: Subjective ratings and recorded behavior. *Journal of Comparative Psychology*, *122*, 379-389.
- Konečná, M., Weiss, A., Lhota, S., & Wallner, B. (2012). Personality in Barbary macaques (*Macaca sylvanus*): Temporal stability and social rank. *Journal of Research in Personality*, *46*, 581-590.
- Koski, S. E. (2011a). Social personality traits in chimpanzees: Temporal stability and structure of behaviourally assessed personality traits in three captive populations. *Behavioral Ecology and Sociobiology*, *65*, 2161-

2174.

- Koski, S. E. (2011b). How to measure animal personality and why does it matter? Integrating the psychological and biological approaches to animal personality. In M. Inoue-Murayama., S. Kawamura. & A. Weiss (Eds.) *From Genes to Animal Behavior* (pp. 115–136). Tokyo: Springer.
- Koski, S. E. (2014). Broader horizons for animal personality research. *Frontiers in Ecology and Evolution*, 2, 1-6.
- Koski S. E., & Burkart, J. M. (2015). Common marmosets show social plasticity and group-level similarity in personality. *Scientific Reports*, 5, 8878.
- Kramer, K. L. (2015). Cooperative breeding and human evolution. *Emerging Trends in Social and Behavioral Sciences: An interdisciplinary, searchable, and linkable resource*. 1-13.
- MacLean, E. L., Hare, B., Nunn, C. L., Addessi, E., Amici, F., Anderson, R. C., et al. (2014). The evolution of self-control. *Proceedings of the National Academy of Sciences*, 111, E2140–E2148.
- Manson, J. H., & Perry, S. (2013). Personality structure, sex differences, and temporal change and stability in wild white-faced capuchins, *Cebus capucinus*. *Journal of Comparative Psychology*, 127, 299-311
- Massen, J. J. M., Antonides, A., Arnold, A.-M. K., Bionda, T., & Koski, S. E. (2013). A behavioral view on chimpanzee personality: Exploration tendency, persistence, boldness, and tool-orientation measured with group experiments. *American Journal of Primatology*, 75, 947-958.
- McCrae, R. R., & Costa, P. T., Jr. (1987). Validation of the five-factor model of personality across instruments and observers. *Journal of Personality and Social Psychology*, 52, 81-90.
- McCrae, R. R., Terracciano, A., & 78 members of the personality profiles of cultures project. (2005). Universal features of personality traits from the observer's perspective: Data from 50 cultures. *Journal of Personality and Social Psychology*, 88, 547-561.
- McGuire, M. T., Raleigh, M. J., & Pollack, D. B. (1994). Personality features in vervet monkeys: The effects of sex, age, social status, and group composition. *American Journal of Primatology*, 33, 1–13.
- Michelangeli, M., Chapple, D. G., & Wong, B. B. M. (2016). Are behavioural syndromes sex specific? Personality in a widespread lizard species. *Behavioral Ecology and Sociobiology*, 70, 1911-1919.
- Morton, F. B., Lee, P. C., Buchanan-Smith, H. M., Brosnan, S. F., Thierry, B., Paukner, A., de Waal, F. B. M., Widness, J., Essler, J. L., & Weiss, A. (2013). Personality structure in brown capuchin monkeys (*Sapajus apella*): Comparisons with chimpanzees (*Pan troglodytes*), orangutans (*Pongo spp.*), and rhesus macaques (*Macaca mulatta*). *Journal of Comparative Psychology*, 127, 282-298.

- Möttus, R., Kandler, C., Bleidorn, W., Riemann, R., & McCrae, R. R. (2017). Personality traits below facets: The consensual validity, longitudinal stability, heritability, and utility of personality nuances. *Journal of Personality and Social Psychology, 112*, 474-490.
- Möttus, R., McCrae, R. R., Allik, J., & Realo, A. (2014). Cross-rater agreement on common and specific variance of personality scales and items. *Journal of Research in Personality, 52*, 47–54.
- Neumann, C., Agil, M., Widdig, A., & Engelhardt, A. (2013). Personality of wild male crested macaques (*Macaca nigra*). *PloS One, 8*: e69383.
- Pederson, A. K., King, J. E., & Landau, V. I. (2005). Chimpanzee (*Pan troglodytes*) personality predicts behavior. *Journal of Research in Personality, 39*, 534-549.
- Revelle, W. (2015). Package 'psych'. Retrieved 7<sup>th</sup> November 2016 from <https://cran.r-project.org/web/packages/psych/psych.pdf>
- Roberts, B. W., Walton, K. E., & Viechtbauer, W. (2006). Patterns of mean-level change in personality traits across the life course: A meta-analysis of longitudinal studies. *Psychological Bulletin, 132*, 1–25.
- Sanderson, J. L., Stott, I., Young, A. J., Vitikainen, E. I. K., Hodge, S. J., & Cant, M. A. (2015). The origins of consistent individual differences in cooperation in wild banded mongooses, *Mungos mungo*. *Animal Behaviour, 107*(C), 193-200.
- Santillán-Doherty, A. M., Cortés-Sotres, J., Arenas-Rosas, R. V., Márquez-Arias, A., Cruz, C., Medellín, A., Aguirre, M., Muñoz-Delgado, J., & Díaz, J. L. (2010). Novelty-seeking temperament in captive stump-tail macaques (*Macaca arctoides*) and spider monkeys (*Ateles geoffroyi*). *Journal of Comparative Psychology, 124*, 211-218.
- Schaffner, C. M., & Caine, N. G. (2000). The peacefulness of cooperatively breeding partners. In F. Aureli & F. B. M. de Waal (Eds.) *Natural Conflict Resolution* (pp155-169). Berkeley: University of California Press.
- Schaffner, C. M., Aureli, F., & Caine, N. G. (2005). Why small groups of tamarins do not reconcile conflicts. *Folia Primatologica, 76*, 67-76.
- Schuett, W., & Dall, S. R. X. (2009). Sex differences, social context and personality in zebra finches, *Taeniopygia guttata*. *Animal Behaviour, 77*, 1041–1050.
- Schuett, W., Tregenza, T., & Dall, S. R. X. (2010). Sexual selection and animal personality. *Biological Reviews, 85*(2), 217–246.
- Schuppli, C., Graber, S. M., Isler, K., & van Schaik, C. P. (2016). Life history, cognition and the evolution of complex foraging niches. *Journal of Human Evolution, 92*(C), 91–100.

- Shrout, P. E., & Fleiss, J. L. (1979). Intraclass correlations: Uses in assessing rater reliability. *Psychological Bulletin*, *86*, 420-428.
- Sih, A., & Del Giudice, M. (2012). Linking behavioural syndromes and cognition: A behavioural ecology perspective. *Philosophical Transactions of the Royal Society B: Biological Sciences*, *367*, 2762-2772.
- Sih, A., Bell, A., & Johnson, J. C. (2004). Behavioral syndromes: an ecological and evolutionary overview. *Trends in Ecology and Evolution*, *19*, 372 - 378.
- Šlipogor, V., Gunhold-de Oliveira, T., Tadić, Z., Massen, J. J. M., & Bugnyar, T. (2016). Consistent inter-individual differences in common marmosets (*Callithrix jacchus*) in Boldness-Shyness, Stress-Activity, and Exploration-Avoidance. *American Journal of Primatology*, *78*, 1–13.
- Smith, B. R., & Blumstein, D. T. (2008). Fitness consequences of personality: A meta-analysis. *Behavioral Ecology*, *19*, 448-455.
- Soulsbury, C. D., Iossa, G., Kennell, S. & Harris, S. (2009). The welfare and suitability of primates kept as pets. *Journal of Applied Animal Welfare Science*, *12*, 1-20.
- Stevens, J. R., Hallinan, E. V., & Hauser, M. D. (2005). The ecology and evolution of patience in two New World monkeys. *Biology Letters*, *1*(2), 223-226.
- Uher, J. (2008). Comparative personality research: Methodological approaches. *European Journal of Personality*, *22*, 427-455.
- Uher, J., & Asendorpf, J. B. (2008). Personality assessment in the Great Apes: Comparing ecologically valid behavior measures, behavior ratings, and adjective ratings. *Journal of Research in Personality*, *42*, 821–838.
- Uher, J., & Visalberghi, E. (2016). Observations versus assessments of personality: A five-method multi-species study reveals numerous biases in ratings and methodological limitations of standardised assessments. *Journal of Research in Personality*, *61*, 61-79.
- Uher, J., Asendorpf, J. B., & Call, J. (2008). Personality in the behaviour of Great Apes: Temporal stability, cross-situational consistency and coherence in response. *Animal Behaviour*, *75*, 99-112.
- Weiss, A. (2017). Exploring factor space (and other adventures) with the Hominoid Personality Questionnaire. In J. Vonk, A. Weiss, & S. Kuczaj (Eds.), *Personality in Nonhuman Animals*. Springer.
- Weiss, A., & Adams, M. J. (2013). Differential behavioral ecology: The structure, life history, and evolution of animal personality. In C. Carere & D. Maestripieri (Eds.) *Animal Personalities. Behavior, physiology, and evolution* (pp. 96-123). Chicago: University of Chicago Press, Chicago.
- Weiss, A., Adams, M. J., Widdig, A., & Gerald, M. S. (2011). Rhesus macaques (*Macaca mulatta*) as living

- fossils of hominoid personality and subjective well-being. *Journal of Comparative Psychology*, *125*, 72-83.
- Weiss, A., Gartner, M. C., Gold, K. C., & Stoinski, T. S. (2012a). Extraversion predicts longer survival in gorillas: An 18-year longitudinal study. *Proceedings of the Royal Society B: Biological Sciences*, *280*, 20122231–20122231.
- Weiss, A., Inoue-Murayama, M., Hong, K.-W., Inoue, E., Udono, T., Ochiai, T., Matsuzawa, T., Hirata, S., & King, J. E. (2009). Assessing chimpanzee personality and subjective well-being in Japan. *American Journal of Primatology*, *71*, 283-292.
- Weiss, A., Inoue-Murayama, M., King, J. E., Adams, M. J., & Matsuzawa, T. (2012b). All too human? Chimpanzee and orang-utan personalities are not anthropomorphic projections. *Animal Behaviour*, *83*, 1355-1365.
- Weiss, A., King, J. E., & Perkins, L. (2006). Personality and subjective well-being in orangutans (*Pongo pygmaeus* and *Pongo abelii*). *Journal of Personality and Social Psychology*, *90*, 501-511.
- Weiss, A., King, J. E., & Hopkins, W. D. (2007). A cross-setting study of chimpanzee (*Pan troglodytes*) personality structure and development: Zoological parks and Yerkes National Primate Research Center. *American Journal of Primatology*, *69*, 1264-1277.
- Weiss, A., Staes, N., Pereboom, J. J. M., Inoue-Murayama, M., Stevens, J. M. G., & Eens, M. (2015). Personality in Bonobos. *Psychological Science*, *26*, 1430-1439.
- Wolf, M., & Weissing, F. J. (2012). Animal personalities: Consequences for ecology and evolution. *Trends in Ecology & Evolution*, *27*, 1-10.
- Yamamoto, M. E., Araujo, A., de Fatima Arruda, M., Lima, A. K. M., de Oliveira Siqueira, J., & Hattori, W. T. (2014). Male and female breeding strategies in a cooperative primate. *Behavioural Processes*, *109*, 27-33.
- Yamamoto, M.E., Domeniconi, C. & Box, H. (2004). Sex differences in common marmosets (*Callithrix jacchus*) in response to an unfamiliar food task. *Primates*, *45*, 249-254.

[1] Available at [http://extras.springer.com/2011/978-1-4614-0175-9/weiss\\_monkey\\_personality.pdf](http://extras.springer.com/2011/978-1-4614-0175-9/weiss_monkey_personality.pdf)

Table 1  
*Varimax-Rotated Component Loadings*

Item	Con*	Agr	Ass*	Pat	Inq*	$h^2$
Thoughtless	<b>-0.81</b>	-0.15	-0.20	-0.07	-0.01	0.72
Bullying	<b>-0.80</b>	-0.32	0.16	-0.02	-0.04	0.78
Clumsy	<b>-0.80</b>	-0.08	-0.23	0.04	-0.26	0.77
Eccentric	<b>-0.79</b>	-0.14	-0.09	0.16	-0.15	0.71
Reckless	<b>-0.76</b>	-0.39	0.13	-0.07	0.12	0.77
Disorganized	<b>-0.72</b>	0.02	-0.11	-0.07	-0.22	0.59
Imitative	<b>-0.70</b>	-0.01	-0.27	-0.11	0.17	0.61
Erratic	<b>-0.69</b>	-0.28	-0.25	-0.01	-0.11	0.63
Jealous	<b>-0.69</b>	-0.36	0.14	0.13	0.08	0.64
Aggressive	<b>-0.68</b>	<b>-0.51</b>	-0.02	0.03	-0.05	0.74
Irritable	<b>-0.67</b>	<b>-0.56</b>	0.00	0.05	-0.05	0.77
Impulsive	<b>-0.66</b>	<b>-0.45</b>	0.09	-0.04	0.09	0.65
Excitable	<b>-0.63</b>	<b>-0.55</b>	-0.15	-0.03	-0.01	0.72
Unperceptive	<b>-0.61</b>	-0.09	0.00	-0.30	-0.24	0.53
Socially playful	<b>-0.58</b>	0.16	<b>-0.46</b>	0.10	0.34	0.71
Depressed	<b>-0.56</b>	-0.12	<b>-0.44</b>	0.21	<b>-0.43</b>	0.75
Stingy	<b>-0.53</b>	-0.32	0.30	0.02	0.05	0.48
Playful	<b>-0.51</b>	0.02	<b>-0.45</b>	0.21	<b>0.40</b>	0.67
Assertive	<b>-0.48</b>	-0.29	<b>0.46</b>	0.03	0.15	0.55
Friendly	0.20	<b>0.84</b>	-0.08	0.10	0.07	0.76
Equable	0.25	<b>0.74</b>	0.18	-0.01	-0.08	0.65
Affectionate	0.23	<b>0.73</b>	0.00	0.14	0.04	0.61
Permissive	<b>0.47</b>	<b>0.68</b>	0.03	-0.08	-0.10	0.70
Gentle	<b>0.56</b>	<b>0.67</b>	0.00	0.05	-0.06	0.76
Sociable	0.00	<b>0.63</b>	0.04	-0.12	0.36	0.54
Popular	0.10	<b>0.62</b>	<b>0.41</b>	-0.08	0.09	0.59
Helpful	0.14	<b>0.62</b>	-0.17	0.24	-0.12	0.50
Predictable	0.00	<b>0.55</b>	0.16	-0.09	-0.11	0.35
Unemotional	0.18	<b>0.54</b>	0.17	-0.20	-0.08	0.39
Protective	0.21	<b>0.50</b>	0.02	0.12	-0.13	0.32
Cautious	0.02	0.07	<b>-0.76</b>	-0.03	-0.31	0.68
Dependent	-0.15	-0.01	<b>-0.75</b>	-0.15	0.06	0.61
Dominant	-0.33	-0.06	<b>0.75</b>	-0.03	-0.03	0.67
Independent	-0.09	0.22	<b>0.73</b>	0.15	-0.07	0.62
Confident	0.08	0.24	<b>0.72</b>	0.15	0.28	0.69
Timid	-0.25	-0.31	<b>-0.71</b>	-0.08	-0.29	0.76
Submissive	-0.23	0.10	<b>-0.71</b>	0.10	-0.11	0.58
Fearful	-0.30	<b>-0.41</b>	<b>-0.68</b>	-0.08	-0.13	0.75
Tense	-0.26	<b>-0.44</b>	<b>-0.57</b>	-0.12	-0.27	0.67
Anxious	<b>-0.42</b>	-0.37	<b>-0.57</b>	0.03	-0.39	0.79

Vulnerable	<b>-0.56</b>	-0.21	<b>-0.56</b>	0.16	-0.31	0.79
Selective	-0.39	-0.03	<b>0.44</b>	0.17	-0.09	0.38
Sympathetic	0.09	0.35	<b>-0.43</b>	<b>0.40</b>	-0.23	0.52
Distractible	-0.22	0.05	-0.22	<b>-0.78</b>	0.02	0.71
Quitting	-0.26	0.08	-0.23	<b>-0.76</b>	-0.09	0.71
Intelligent	-0.07	0.01	0.02	<b>0.75</b>	0.22	0.62
Inventive	-0.23	-0.19	-0.23	<b>0.66</b>	0.27	0.65
Sensitive	-0.11	0.34	-0.14	<b>0.66</b>	-0.13	0.60
Persistent	<b>-0.40</b>	0.02	0.18	<b>0.65</b>	0.11	0.63
Patient	0.32	<b>0.47</b>	0.10	<b>0.50</b>	-0.04	0.59
Lazy	-0.16	0.36	-0.05	-0.02	<b>-0.68</b>	0.62
Exploratory	0.08	-0.01	0.18	0.38	<b>0.67</b>	0.64
Inquisitive	0.02	0.00	0.29	0.39	<b>0.65</b>	0.66
Active	-0.09	<b>-0.46</b>	-0.17	-0.10	<b>0.61</b>	0.63
Opportunistic	-0.25	-0.21	0.34	0.31	<b>0.53</b>	0.60
Solitary	-0.21	-0.25	-0.15	0.01	<b>-0.49</b>	0.36
Alert	0.05	0.00	0.33	-0.02	<b>0.43</b>	0.30
Proportion of variance	0.20	0.14	0.14	0.08	0.07	

*Note.* Con = Conscientiousness, Agr = Agreeableness, Ass = Assertiveness, Pat = Patience, Inq = Inquisitiveness,  $h^2$  = communality. Bold typeface indicates loadings  $\geq$  than  $|\cdot 4|$ .

\*Loadings of this factor were reflected.

Table 2  
*The linear effects of sex and age on the component scores*

	<i>b</i>	<i>SE</i>	95% <i>CI</i>		<i>t</i>	<i>p</i>
			2.5%	97.5%		
Conscientiousness						
Intercept	0.01	0.10	-0.19	0.21	0.14	.889
Sex	-0.01	0.10	-0.21	0.19	-0.07	.941
Age	-0.04	0.03	-0.11	0.02	-1.28	.204
Sex × Age	0.04	0.03	-0.03	0.11	1.21	.229
Agreeableness						
Intercept	0.02	0.10	-0.17	0.22	0.23	.817
Sex	0.11	0.10	-0.09	0.30	1.09	.277
Age	0.05	0.03	-0.02	0.11	1.49	.140
Sex × Age	<b>0.07</b>	<b>0.03</b>	<b>0.01</b>	<b>0.14</b>	<b>2.21</b>	<b>.029</b>
Assertiveness						
Intercept	0.01	0.10	-0.19	0.21	0.11	.909
Sex	-0.11	0.10	-0.31	0.09	-1.09	.277
Age	-0.03	0.03	-0.09	0.04	-0.76	.449
Sex × Age	0.03	0.03	-0.04	0.09	0.81	.421
Patience						
Intercept	0.03	0.09	-0.16	0.22	0.33	.740
Sex	<b>-0.30</b>	<b>0.09</b>	<b>-0.48</b>	<b>-0.11</b>	<b>-3.13</b>	<b>.002</b>
Age	-0.05	0.03	-0.11	0.01	-1.50	.136
Sex × Age	<b>0.07</b>	<b>0.03</b>	<b>0.01</b>	<b>0.14</b>	<b>2.36</b>	<b>.020</b>
Inquisitiveness						
Intercept	0.01	0.09	-0.18	0.19	0.06	.952
Sex	-0.15	0.09	-0.34	0.04	-1.59	.115
Age	<b>-0.13</b>	<b>0.03</b>	<b>-0.19</b>	<b>-0.07</b>	<b>-4.11</b>	<b>&lt; .001</b>
Sex × Age	0.01	0.03	-0.05	0.07	0.25	.802

**Supplementary information for: Common Marmoset Personality**

Koski S.E., Buchanan-Smith H.M., Ash H, Burkart J.M., Bugnyar T, and Weiss A.

**RESULTS**

Table S1. The questionnaire to assess common marmoset personality in this study

---

**Monkey personality trait assessment**

Please assess each monkey on following traits based on your understanding of the given adjectives and their short definitions. Judge each trait independently. Use your own subjective judgment of the typical behaviour of each individual to decide if the individual is above, below or average for a trait. Do not discuss your ratings with other raters.

Use the following scale to make your ratings:

- 1 – extreme absence of the trait
- 2 – weak presence of the trait on infrequent occasions
- 3 – slightly below average presence of the trait
- 4 – average presence of the trait
- 5 – slightly greater than average presence of the trait
- 6 – strong presence of the trait on frequent occasions
- 7 – extreme presence of the trait

Your name: \_\_\_\_\_ Date: \_\_\_\_\_

Monkey's name: \_\_\_\_\_

- 1)\_\_\_ACTIVE: Monkey seeks physical activity, and is fast and agile.
- 2)\_\_\_INTELLIGENT: Monkey is quick and accurate in judging, comprehending both social and non-social situations and is successful in solving problems.
- 3)\_\_\_FEARFUL: Monkey reacts excessively to real or imagined threats, and is frightened easily.
- 4)\_\_\_DOMINANT: Monkey easily gets its own way, is able to control others and decisively intervenes in social interactions.

- 5)\_\_\_CAUTIOUS: Monkey avoids risky behaviors and situations.
- 6)\_\_\_INQUISITIVE: Monkey seeks new objects and stimuli in the environment. It is interested in objects and the affairs of other monkeys that do not necessarily directly concern itself.
- 7)\_\_\_PLAYFUL: Monkey is eager to initiate play and joins in when play is solicited.
- 8)\_\_\_ASSERTIVE: Monkey is assertive or contentious in a way inconsistent with the usual dominance order. Monkey partly refuses the subordination relevant to its rank.
- 9)\_\_\_ERRATIC: Monkey's behavior is unstable and unclear. Monkey changes mood often.
- 10)\_\_\_PROTECTIVE: Monkey tries to prevent harm or possible harm to others.
- 11)\_\_\_IMPULSIVE: Monkey often displays some spontaneous or sudden behavior that could not have been anticipated. There often seems to be some emotional reason behind the sudden behavior.
- 12)\_\_\_STINGY: Monkey is excessively desirous of food, favored locations, or other resources in the enclosure and is unwilling to share these resources with others.
- 13)\_\_\_EXPLORATORY: Monkey is seeking new objects in its environment and seems eager to learn about them as much as possible.
- 14)\_\_\_GENTLE: Monkey responds to others in an easy, kind manner.
- 15)\_\_\_CONFIDENT: Monkey behaves in an assured manner, makes quick decisions about its reactions and does not hesitate.
- 16)\_\_\_TENSE: Monkey is restrained in movement and behavior, has difficulties relaxing in both social and non-social situations.
- 17)\_\_\_LAZY: Monkey has inexpressive reactions, is inactive and slow.
- 18)\_\_\_MANIPULATIVE: Monkey is adept at forming social relationships for its own advantage, especially using alliances and friendships to increase its social standing.
- 19)\_\_\_AFFECTIONATE: Monkey has a warm attachment or closeness with others. Monkey's behavior expresses the positive relationship to others.
- 20)\_\_\_CONVENTIONAL: Monkey seems to lack spontaneity or originality. Monkey behaves in a consistent manner from day to day and stays well within the social rules of the group.
- 21)\_\_\_INDEPENDENT: Monkey is individualistic and determines its own course of action without control or interference from other.
- 22)\_\_\_SOCIALLY PLAYFUL: Monkey engages in playful behavior preferably in social context. Solitary play is rare.
- 23)\_\_\_HELPFUL: Monkey is willing to assist, accommodate, or cooperate with other monkeys.
- 24)\_\_\_TIMID: Monkey lacks self-confidence, is easily alarmed and is hesitant to venture into new social or non-social situations.
- 25)\_\_\_DEPENDENT: Monkey often relies on other monkeys for leadership, reassurance, and their support in social interactions.
- 26)\_\_\_INVENTIVE: Monkey is likely to do new things including novel social or non-social behaviors. It tries new ways and approaches to reach its goal.
- 27)\_\_\_AGGRESSIVE: Monkey often initiates physical fights or conflicts with others, it causes harm.
- 28)\_\_\_SUBMISSIVE: Monkey often gives in or yields to another monkey. Monkey doesn't defend its own interests.
- 29)\_\_\_ECCENTRIC: Monkey shows unusual behaviors, which may include stereotypies or unusual mannerisms.
- 30)\_\_\_OPPORTUNISTIC: Monkeys seizes a chance as soon as it arises in all types of situations.
- 31)\_\_\_IRRITABLE: Monkey is easily provoked to anger and exasperation; it is impatient and reacts in a negative manner even on mild provocations.

- 32) \_\_\_FRIENDLY: Monkey often seeks out amiable contact with others. Monkey infrequently initiates hostile behaviors towards others.
- 33) \_\_\_PREDICTABLE: Monkey's behavior is consistent and steady over extended periods of time. Monkey does little that is unexpected or deviates from its usual behavioral routine.
- 34) \_\_\_EXCITABLE: Monkey is easily aroused to an emotional state (can be positive or negative). Monkey becomes highly aroused by situations that would cause less arousal in most monkeys.
- 35) \_\_\_DISORGANIZED: Monkey is scatterbrained and unpredictable in its behavior as if not following a consistent goal.
- 36) \_\_\_UNEMOTIONAL: Monkey is relatively placid and unlikely to become aroused, upset, happy, or sad
- 37) \_\_\_SOLITARY: Monkey prefers to spend considerable time alone not seeking or even directly avoiding contact with others.
- 38) \_\_\_POPULAR: Monkey is often sought out as a companion by others.
- 39) \_\_\_DEPRESSED: Monkey often appears isolated, withdrawn, sullen, brooding, and has reduced activity.
- 40) \_\_\_SYMPATHETIC: Monkey seems to be considerate and kind towards others as if sharing their feelings or trying to provide reassurance.
- 41) \_\_\_EQUABLE: Monkey reacts to its environment including the behavior of others in a calm, equable, way. Monkey is not easily upset by the behaviors of others.
- 42) \_\_\_PERMISSIVE: Monkey reacts in balanced manner and does not necessarily reciprocate negative reactions. Monkey is more tolerant to behavior of others especially of younger or subordinate individuals.
- 43) \_\_\_THOUGHTLESS: Monkey often behaves in a way that seems imprudent or forgetful
- 44) \_\_\_ALERT: Monkey pays attention to other monkeys' behavior and its environment. Monkey does not seem to be tense; it is keeping an eye on the general situation.
- 45) \_\_\_PATIENT: Monkey tends to follow the actions from start to finish, it does not oppose disturbance by others, but it may continue with the actions after the disturbance is over.
- 46) \_\_\_UNEMOTIONAL: Monkey is relatively placid and unlikely to become aroused, upset, happy, or sad.
- 47) \_\_\_SELECTIVE: Monkeys tries to select the best food or place if having chance to do so, seems picky.
- 48) \_\_\_SENSITIVE: Monkey is able to understand or read the mood, disposition, feelings, or intentions of others often on the basis of subtle, minimal cues and reacts accordingly.
- 49) \_\_\_PERSISTENT: Monkey tends to continue in a course of action, task, or strategy for a long time or continues despite opposition from others.
- 50) \_\_\_BULLYING: Monkey is overbearing and intimidating often without any provocation especially towards younger or lower ranking monkeys
- 51) \_\_\_JEALOUS: Monkey is often troubled by others who are in a desirable or advantageous situation (such as having food, a choice location, or access to social partner). Subject may attempt to disrupt activities of advantaged monkeys.
- 52) \_\_\_SOCIABLE: Monkey seeks, enjoys and keeps the company of other monkeys.
- 53) \_\_\_DISTRACTIBLE: Monkey is easily distracted and has a short attention span
- 54) \_\_\_VULNERABLE: Monkey is prone to be physically or emotionally hurt as a result of aggression or assertive behavior by another individual
- 55) \_\_\_QUITTING: Monkey readily stops or gives up activities that have recently been started
- 56) \_\_\_CLUMSY: Subject is relatively clumsy or uncoordinated during movements including

but not limited to walking, acrobatics, and play.

57) \_\_\_ ANXIOUS: Monkey often seems distressed, troubled, or in a state of uncertainty.

58) \_\_\_ RECKLESS: Monkey is unconcerned about the consequences of its behaviors.

59) \_\_\_ IMITATIVE: Monkey often mimics, or copies behaviors that it has observed in other monkeys.

60) \_\_\_ UNPERCEPTIVE: Monkey is slow to respond to or understand moods, dispositions, or behaviors of others.

Table S2. The inter-rater reliabilities of the rated items.

Item	ICC(3,1)	ICC(3,k)
Gentle	0.37	0.6
Affectionate	0.35	0.59
Impulsive	0.34	0.58
Stingy	0.34	0.57
Permissive	0.32	0.55
Irritable	0.31	0.54
Bullying	0.31	0.55
Fearful	0.3	0.52
Dominant	0.3	0.53
Reckless	0.3	0.53
Submissive	0.28	0.5
Sympathetic	0.28	0.51
Inquisitive	0.27	0.5
Helpful	0.27	0.49
Timid	0.27	0.5
Lazy	0.26	0.48
Assertive	0.25	0.46
Patient	0.25	0.46
Quitting	0.25	0.47
Active	0.24	0.46
Protective	0.23	0.45
Excitable	0.23	0.43
Unperceptive	0.23	0.43
Dependent	0.22	0.42
Playful	0.21	0.41
Independent	0.21	0.41
Aggressive	0.21	0.4
Depressed	0.21	0.41
Equable	0.21	0.41
Confident	0.2	0.39
Tense	0.2	0.4
Disorganised	0.19	0.39
Persistent	0.19	0.38
Distractible	0.19	0.38
Inventive	0.18	0.36
Friendly	0.18	0.37
Socplayful	0.17	0.34
Predictable	0.17	0.36
Selective	0.16	0.33
Cautious	0.15	0.33
Thoughtless	0.14	0.31
Anxious	0.14	0.31
Imitative	0.13	0.28
Erratic	0.12	0.27

Exploratory	0.12	0.26
Eccentric	0.12	0.26
Opportunistic	0.12	0.26
Jealous	0.12	0.27
Sociable	0.11	0.24
Intelligent	0.1	0.23
Unemotional	0.1	0.23
Solitary	0.1	0.22
Alert	0.08	0.19
Vulnerable	0.08	0.18
Sensitive	0.03	0.07
Clumsy	0.03	0.07
Popular	0.01	0.03
Manipulative	-0.02	-0.04
Conventional	-0.07	-0.22

Table S3. The Varimax-rotated loadings of the six-component structure

	PC1	PC2	PC3	PC4	PC5	PC6	h2
thoughtless	<b>0.82</b>	-0.13	0.2	-0.06	0.01	0.02	0.73
reckless	<b>0.79</b>	-0.38	-0.14	-0.05	0.12	-0.08	0.81
bullying	<b>0.79</b>	-0.32	-0.14	-0.02	-0.01	0.19	0.78
eccentric	<b>0.78</b>	-0.14	0.12	0.17	-0.11	0.14	0.71
clumsy	<b>0.75</b>	-0.09	0.28	0.03	-0.2	0.35	0.82
disorganised	<b>0.74</b>	0.03	0.11	-0.05	-0.22	-0.02	0.61
erratic	<b>0.74</b>	-0.26	0.24	0.02	-0.1	-0.18	0.71
impulsive	<b>0.7</b>	<b>-0.43</b>	-0.11	-0.01	0.09	-0.17	0.73
irritable	<b>0.7</b>	<b>-0.55</b>	0.00	0.07	-0.03	-0.06	0.79
imitative	<b>0.68</b>	0.00	0.28	-0.12	0.21	0.18	0.63
excitable	<b>0.67</b>	<b>-0.53</b>	0.14	-0.01	0.00	-0.13	0.77
aggressive	<b>0.66</b>	<b>-0.51</b>	0.05	0.02	-0.01	0.2	0.75
jealous	<b>0.66</b>	-0.36	-0.11	0.12	0.12	0.24	0.66
unperceptive	<b>0.65</b>	-0.08	-0.01	-0.27	-0.26	-0.1	0.57
socplayful	<b>0.55</b>	0.18	<b>0.45</b>	0.09	0.38	0.12	0.71
playful	<b>0.49</b>	0.04	<b>0.44</b>	0.2	<b>0.44</b>	0.08	0.68
assertive	<b>0.49</b>	-0.28	<b>-0.47</b>	0.04	0.13	0.01	0.56
friendly	-0.2	<b>0.84</b>	0.06	0.1	0.04	-0.03	0.76
affectionate	-0.24	<b>0.73</b>	-0.01	0.14	0.02	0.00	0.61
equable	-0.26	<b>0.72</b>	-0.19	-0.01	-0.11	0.07	0.65
permissive	<b>-0.47</b>	<b>0.67</b>	-0.04	-0.08	-0.13	-0.02	0.7
gentle	<b>-0.55</b>	<b>0.66</b>	-0.02	0.06	-0.1	-0.12	0.77
sociable	-0.02	<b>0.64</b>	-0.07	-0.12	0.34	0.05	0.55
popular	-0.07	<b>0.63</b>	<b>-0.46</b>	-0.05	0.02	-0.23	0.67
helpful	-0.13	<b>0.62</b>	0.15	0.26	-0.14	-0.14	0.53
unemotional	-0.16	<b>0.53</b>	-0.19	-0.19	-0.13	-0.12	0.41

predictable	-0.08	<b>0.53</b>	-0.12	-0.12	-0.09	0.43	0.51
protective	-0.14	<b>0.51</b>	-0.07	0.17	-0.2	-0.43	0.53
cautious	-0.01	0.08	<b>0.76</b>	-0.02	-0.28	-0.11	0.68
dependent	0.14	0.01	<b>0.75</b>	-0.16	0.1	0.00	0.62
dominant	0.34	-0.07	<b>-0.75</b>	-0.01	-0.08	0.04	0.68
confident	-0.08	0.23	<b>-0.74</b>	0.15	0.23	0.01	0.69
timid	0.25	-0.3	<b>0.74</b>	-0.08	-0.23	0.02	0.76
independent	0.11	0.21	<b>-0.74</b>	0.17	-0.13	-0.04	0.65
submissive	0.24	0.11	<b>0.7</b>	0.1	-0.08	-0.09	0.59
fearful	0.35	-0.38	<b>0.67</b>	-0.06	-0.11	-0.28	0.81
vulnerable	<b>0.52</b>	-0.21	<b>0.61</b>	0.14	-0.23	0.25	0.83
anxious	<b>0.44</b>	-0.36	<b>0.59</b>	0.04	-0.35	-0.08	0.8
tense	0.29	<b>-0.43</b>	<b>0.58</b>	-0.11	-0.24	-0.15	0.69
depressed	<b>0.51</b>	-0.13	<b>0.51</b>	0.19	-0.36	0.33	0.81
sympathetic	-0.1	0.35	<b>0.44</b>	<b>0.4</b>	-0.2	0.00	0.52
alert	0.01	0.02	<b>-0.4</b>	0.01	0.37	-0.39	0.45
distractible	0.23	0.06	0.21	<b>-0.79</b>	0.02	-0.01	0.72
intelligent	0.09	0.01	-0.04	<b>0.76</b>	0.22	-0.12	0.65
quitting	0.3	0.1	0.21	<b>-0.74</b>	-0.11	-0.18	0.73
sensitive	0.11	0.34	0.14	<b>0.67</b>	-0.13	-0.03	0.62
inventive	0.24	-0.17	0.2	<b>0.67</b>	0.29	-0.15	0.69
persistent	0.37	0.01	-0.16	<b>0.64</b>	0.14	0.21	0.64
patient	-0.33	<b>0.46</b>	-0.11	<b>0.5</b>	-0.05	0.01	0.59
exploratory	-0.11	0.00	-0.2	0.36	<b>0.68</b>	0.05	0.65
lazy	0.13	0.34	0.1	-0.01	<b>-0.67</b>	0.21	0.63
inquisitive	-0.02	0.01	-0.34	0.39	<b>0.63</b>	-0.06	0.67
active	0.09	<b>-0.43</b>	0.14	-0.12	<b>0.63</b>	-0.04	0.63
opportunistic	0.2	-0.21	-0.34	0.29	<b>0.55</b>	0.24	0.64
solitary	0.23	-0.26	0.17	0.03	<b>-0.48</b>	-0.08	0.38
selective	0.31	-0.05	-0.38	0.15	-0.06	<b>0.5</b>	0.52
stingy	<b>0.46</b>	-0.34	-0.24	-0.01	0.1	<b>0.49</b>	0.63
proportion of variance	0.19	0.14	0.14	0.08	0.07	0.04	

Table S4. The Promax-rotated loadings of the six-component structure and the component correlations

	PC1	PC2	PC3	PC4	PC5	PC6	h2
thoughtless	<b>0.83</b>	0.11	0.04	-0.11	0.01	0.02	0.73
disorganised	<b>0.81</b>	-0.01	0.17	-0.08	-0.23	0.00	0.61
reckless	<b>0.8</b>	-0.22	-0.23	-0.06	0.11	-0.06	0.81
eccentric	<b>0.78</b>	0.02	0.00	0.13	-0.12	0.15	0.71
bullying	<b>0.77</b>	-0.22	-0.19	-0.05	-0.05	0.22	0.78
erratic	<b>0.74</b>	0.14	-0.12	0.02	-0.07	-0.18	0.71

unperceptive	<b>0.72</b>	-0.13	0.04	-0.27	-0.28	-0.07	0.57
clumsy	<b>0.71</b>	0.19	0.05	-0.03	-0.22	0.36	0.82
impulsive	<b>0.71</b>	-0.19	-0.3	0.00	0.09	-0.16	0.73
imitative	<b>0.67</b>	0.24	0.18	-0.21	0.21	0.17	0.63
irritable	<b>0.64</b>	-0.07	<b>-0.44</b>	0.09	-0.02	-0.04	0.79
excitable	<b>0.61</b>	0.08	<b>-0.41</b>	0.02	0.03	-0.13	0.77
jealous	<b>0.6</b>	-0.16	-0.25	0.09	0.1	0.25	0.66
aggressive	<b>0.56</b>	0.00	<b>-0.41</b>	0.02	-0.01	0.22	0.75
socplayful	<b>0.55</b>	<b>0.45</b>	0.37	-0.02	<b>0.42</b>	0.08	0.71
assertive	<b>0.52</b>	<b>-0.52</b>	-0.21	0.03	0.09	0.04	0.56
dominant	<b>0.45</b>	<b>-0.83</b>	-0.05	-0.01	-0.16	0.08	0.68
independent	0.27	<b>-0.82</b>	0.19	0.16	-0.21	-0.01	0.65
dependent	0.06	<b>0.78</b>	0.1	-0.19	0.17	-0.04	0.62
confident	0.05	<b>-0.75</b>	0.21	0.12	0.16	0.02	0.69
cautious	-0.06	<b>0.75</b>	0.1	0.00	-0.21	-0.13	0.68
timid	0.12	<b>0.72</b>	-0.26	-0.06	-0.16	0.01	0.76
submissive	0.21	<b>0.68</b>	0.2	0.08	-0.01	-0.13	0.59
fearful	0.27	<b>0.64</b>	-0.31	-0.01	-0.02	-0.3	0.81
vulnerable	<b>0.4</b>	<b>0.56</b>	-0.13	0.13	-0.19	0.24	0.83
tense	0.18	<b>0.54</b>	-0.39	-0.05	-0.17	-0.16	0.69
anxious	0.35	<b>0.52</b>	-0.3	0.09	-0.29	-0.08	0.8
depressed	<b>0.4</b>	<b>0.44</b>	-0.07	0.18	-0.34	0.34	0.81
sympathetic	-0.09	<b>0.42</b>	0.33	0.39	-0.16	-0.03	0.52
friendly	-0.04	0.05	<b>0.85</b>	0.02	0.03	-0.05	0.76
affectionate	-0.1	-0.02	<b>0.72</b>	0.08	0.00	-0.02	0.61
sociable	0.12	-0.05	<b>0.72</b>	-0.23	0.31	0.03	0.55
equable	-0.11	-0.21	<b>0.7</b>	-0.07	-0.16	0.07	0.65
popular	0.17	<b>-0.51</b>	<b>0.64</b>	-0.09	-0.04	-0.23	0.67
helpful	0.00	0.11	<b>0.62</b>	0.23	-0.13	-0.16	0.53
permissive	-0.35	-0.03	<b>0.6</b>	-0.11	-0.16	-0.02	0.7
gentle	<b>-0.43</b>	0.00	<b>0.58</b>	0.04	-0.1	-0.13	0.77
predictable	-0.01	-0.13	<b>0.53</b>	-0.2	-0.16	0.44	0.51
unemotional	0.01	-0.23	<b>0.53</b>	-0.21	-0.17	-0.11	0.41
protective	0.05	-0.13	<b>0.49</b>	0.18	-0.19	<b>-0.44</b>	0.53
distractible	0.27	0.2	0.16	<b>-0.82</b>	-0.01	0.01	0.72
intelligent	0.09	-0.04	0.02	<b>0.75</b>	0.26	-0.16	0.65
quitting	0.39	0.15	0.2	<b>-0.75</b>	-0.13	-0.17	0.73
inventive	0.19	0.21	-0.12	<b>0.67</b>	0.36	-0.19	0.69
sensitive	0.16	0.09	0.35	<b>0.65</b>	-0.1	-0.06	0.62
persistent	0.36	-0.19	0.06	<b>0.6</b>	0.13	0.2	0.64
patient	-0.27	-0.1	0.38	<b>0.48</b>	-0.05	-0.01	0.59
lazy	0.19	-0.01	0.32	-0.02	<b>-0.71</b>	0.24	0.63
exploratory	-0.13	-0.1	0.02	0.3	<b>0.7</b>	0.02	0.65
active	-0.03	0.24	-0.36	-0.14	<b>0.68</b>	-0.07	0.63
inquisitive	0.00	-0.26	0.04	0.34	<b>0.64</b>	-0.09	0.67
opportunistic	0.15	-0.28	-0.16	0.23	<b>0.53</b>	0.23	0.64

playful	<b>0.46</b>	<b>0.46</b>	0.21	0.11	<b>0.49</b>	0.04	0.68
solitary	0.2	0.09	-0.27	0.09	<b>-0.46</b>	-0.06	0.38
selective	0.28	<b>-0.42</b>	-0.03	0.1	-0.13	<b>0.53</b>	0.52
stingy	0.37	-0.25	-0.27	-0.05	0.05	<b>0.52</b>	0.63
alert	0.13	-0.39	0.06	0.01	0.36	<b>-0.4</b>	0.45
proportion of variance	0.19	0.14	0.14	0.07	0.08	0.04	

## Component Correlations

	PC1	PC2	PC3	PC4	PC5	PC6
PC1	1.00	0.25	-0.37	0.07	0.04	0.15
PC2	0.25	1.00	-0.07	0.03	-0.21	0.01
PC3	-0.37	-0.07	1.00	0.13	-0.07	-0.01
PC4	0.07	0.03	0.13	1.00	0.04	0.12
PC5	0.04	-0.21	-0.07	0.04	1.00	0.13
PC6	0.15	0.01	-0.01	0.12	0.13	1.00

Table S5. The Promax-rotated solution of the 5-component solution and the component correlations

	RC1	RC2	RC4	RC3	RC5	h2
clumsy	<b>0.83</b>	0.12	0.06	0.01	0.25	0.77
thoughtless	<b>0.83</b>	0.13	0.03	-0.13	0.00	0.72
eccentric	<b>0.81</b>	0.00	-0.01	0.13	0.14	0.71
bullying	<b>0.81</b>	-0.25	-0.19	-0.04	0.06	0.78
disorganised	<b>0.79</b>	0.00	0.16	-0.12	0.24	0.59
reckless	<b>0.75</b>	-0.18	-0.25	-0.1	-0.11	0.77
imitative	<b>0.74</b>	0.23	0.18	-0.19	-0.18	0.61
jealous	<b>0.66</b>	-0.19	-0.25	0.11	-0.08	0.64
erratic	<b>0.66</b>	0.19	-0.15	-0.03	0.08	0.63
unperceptive	<b>0.66</b>	-0.1	0.02	-0.31	0.28	0.53
socplayful	<b>0.62</b>	<b>0.45</b>	0.36	-0.01	-0.38	0.71
impulsive	<b>0.62</b>	-0.13	-0.34	-0.05	-0.1	0.65
aggressive	<b>0.61</b>	-0.04	<b>-0.41</b>	0.04	0.03	0.74
irritable	<b>0.59</b>	-0.05	<b>-0.47</b>	0.06	0.02	0.77
excitable	<b>0.54</b>	0.11	<b>-0.44</b>	-0.02	-0.03	0.72
stingy	<b>0.52</b>	-0.34	-0.25	0.02	-0.03	0.48
depressed	<b>0.52</b>	0.35	-0.05	0.21	0.38	0.75
playful	<b>0.51</b>	<b>0.46</b>	0.2	0.12	<b>-0.46</b>	0.67
dominant	<b>0.41</b>	-0.81	-0.05	-0.03	0.14	0.67
independent	0.21	<b>-0.79</b>	0.19	0.14	0.17	0.62
dependent	0.1	<b>0.77</b>	0.1	-0.18	-0.14	0.61
cautious	-0.07	<b>0.74</b>	0.09	-0.02	0.23	0.68
confident	0.03	<b>-0.72</b>	0.22	0.12	-0.19	0.69
timid	0.14	<b>0.69</b>	-0.26	-0.05	0.2	0.76
submissive	0.2	<b>0.69</b>	0.19	0.06	0.03	0.58
fearful	0.17	<b>0.68</b>	-0.34	-0.06	0.03	0.75
tense	0.13	<b>0.55</b>	<b>-0.4</b>	-0.08	0.19	0.67
anxious	0.31	<b>0.51</b>	-0.31	0.07	0.31	0.79
selective	<b>0.44</b>	<b>-0.51</b>	0.00	0.17	0.15	0.38
assertive	<b>0.49</b>	<b>-0.5</b>	-0.22	0.02	-0.1	0.55
vulnerable	<b>0.49</b>	<b>0.5</b>	-0.12	0.16	0.23	0.79
sympathetic	-0.07	<b>0.41</b>	0.34	0.38	0.18	0.52
friendly	-0.02	0.07	<b>0.86</b>	0.01	-0.03	0.76
affectionate	-0.08	0.00	<b>0.73</b>	0.07	0.00	0.61
sociable	0.16	-0.03	<b>0.73</b>	-0.23	-0.31	0.54
equable	-0.07	-0.21	<b>0.72</b>	-0.06	0.15	0.65
popular	0.08	<b>-0.44</b>	<b>0.63</b>	-0.14	0.00	0.59
permissive	-0.34	-0.03	<b>0.62</b>	-0.11	0.15	0.7
helpful	-0.03	0.14	<b>0.61</b>	0.2	0.13	0.5
gentle	<b>-0.45</b>	0.02	<b>0.59</b>	0.03	0.09	0.76
predictable	0.15	-0.21	<b>0.57</b>	-0.14	0.18	0.35

unemotional	-0.03	-0.19	<b>0.53</b>	-0.24	0.15	0.39
protective	-0.11	-0.04	<b>0.46</b>	0.1	0.16	0.32
distractible	0.27	0.21	0.16	<b>-0.82</b>	0.01	0.71
quitting	0.32	0.2	0.18	<b>-0.79</b>	0.12	0.71
intelligent	0.04	0.00	0.01	<b>0.73</b>	-0.26	0.62
inventive	0.14	0.25	-0.14	<b>0.64</b>	-0.35	0.65
sensitive	0.15	0.1	0.35	<b>0.63</b>	0.11	0.6
persistent	<b>0.43</b>	-0.22	0.07	<b>0.61</b>	-0.12	0.63
patient	-0.25	-0.1	0.39	<b>0.48</b>	0.05	0.59
lazy	0.26	-0.07	0.34	0.00	<b>0.72</b>	0.62
exploratory	-0.1	-0.09	0.02	0.32	<b>-0.69</b>	0.64
active	-0.03	0.26	-0.38	-0.13	<b>-0.67</b>	0.63
inquisitive	-0.02	-0.22	0.03	0.34	<b>-0.65</b>	0.66
opportunistic	0.23	-0.31	-0.15	0.27	<b>-0.53</b>	0.6
solitary	0.15	0.09	-0.27	0.07	<b>0.46</b>	0.36
alert	-0.02	-0.29	0.02	-0.06	<b>-0.4</b>	0.3
	0.2	0.14	0.14	0.08	0.08	

## Component Correlations

	PC1	PC2	PC3	PC4	PC5
PC1	1.00	0.2	-0.39	0.09	-0.03
PC2	0.20	1.00	-0.08	0.03	0.23
PC3	-0.39	-0.08	1.00	0.14	0.04
PC4	0.09	0.03	0.14	1.00	-0.03
PC5	-0.03	0.23	0.04	-0.03	1.00

Table S6. The 5-component structure compared to 5-factored structure.

	MR1	MR2	MR3	MR4	MR5	h2
clumsy	<b>0.8</b>	-0.11	0.23	0.04	-0.27	0.78
thoughtless	<b>0.79</b>	-0.18	0.18	-0.07	0.01	0.69
bullying	<b>0.78</b>	-0.38	-0.18	-0.01	-0.06	0.8
eccentric	<b>0.77</b>	-0.16	0.12	0.15	-0.14	0.67
reckless	<b>0.73</b>	<b>-0.45</b>	-0.14	-0.06	0.12	0.78
disorganised	<b>0.69</b>	-0.02	0.11	-0.08	-0.19	0.53
imitative	<b>0.69</b>	-0.07	0.24	-0.09	0.15	0.56
aggressive	<b>0.67</b>	-0.55	0.01	0.03	-0.06	0.75
erratic	<b>0.66</b>	-0.3	0.26	-0.02	-0.08	0.6
irritable	<b>0.64</b>	-0.6	-0.01	0.05	-0.04	0.78
jealous	<b>0.64</b>	-0.39	-0.13	0.14	0.08	0.61
impulsive	<b>0.63</b>	<b>-0.47</b>	-0.08	-0.04	0.1	0.64
excitable	<b>0.6</b>	<b>-0.59</b>	0.15	-0.03	0.00	0.73
socplayful	<b>0.6</b>	0.14	<b>0.41</b>	0.09	0.32	0.65
unperceptive	<b>0.57</b>	-0.14	0.00	-0.27	-0.21	0.46

depressed	<b>0.56</b>	-0.11	<b>0.47</b>	0.21	<b>-0.42</b>	0.77
playful	<b>0.53</b>	0.02	<b>0.4</b>	0.2	0.39	0.63
stingy	<b>0.49</b>	-0.33	-0.25	0.05	0.02	0.42
friendly	-0.17	<b>0.83</b>	0.06	0.1	0.05	0.74
equable	-0.23	<b>0.73</b>	-0.19	-0.01	-0.07	0.62
affectionate	-0.2	<b>0.73</b>	-0.01	0.12	0.03	0.58
permissive	<b>-0.44</b>	<b>0.7</b>	-0.02	-0.1	-0.09	0.7
gentle	<b>-0.53</b>	<b>0.69</b>	0.01	0.03	-0.04	0.77
helpful	-0.12	<b>0.58</b>	0.14	0.2	-0.11	0.42
sociable	0.00	<b>0.56</b>	-0.11	-0.09	0.27	0.4
popular	-0.12	<b>0.55</b>	-0.41	-0.08	0.05	0.5
unemotional	-0.16	<b>0.52</b>	-0.17	-0.19	-0.07	0.36
predictable	0.00	<b>0.51</b>	-0.15	-0.06	-0.16	0.31
protective	-0.19	<b>0.45</b>	-0.03	0.08	-0.11	0.26
cautious	-0.02	0.07	<b>0.76</b>	-0.06	-0.28	0.66
timid	0.24	-0.31	<b>0.73</b>	-0.1	-0.25	0.76
confident	-0.07	0.23	<b>-0.72</b>	0.14	0.24	0.66
dominant	0.3	-0.11	<b>-0.72</b>	-0.04	-0.05	0.62
dependent	0.15	-0.01	<b>0.7</b>	-0.13	0.06	0.54
submissive	0.23	0.1	<b>0.7</b>	0.06	-0.07	0.56
fearful	0.28	<b>-0.42</b>	<b>0.69</b>	-0.09	-0.1	0.75
independent	0.08	0.2	<b>-0.68</b>	0.12	-0.07	0.53
anxious	<b>0.41</b>	-0.38	<b>0.6</b>	0.01	-0.36	0.8
tense	0.23	<b>-0.44</b>	<b>0.6</b>	-0.14	-0.23	0.69
vulnerable	<b>0.55</b>	-0.21	<b>0.58</b>	0.16	-0.3	0.8
assertive	<b>0.44</b>	-0.31	<b>-0.44</b>	0.02	0.14	0.51
sympathetic	-0.07	0.35	<b>0.41</b>	0.33	-0.19	0.44
selective	0.36	-0.03	-0.38	0.15	-0.08	0.3
distractible	0.23	0.05	0.21	<b>-0.78</b>	0.03	0.7
quitting	0.25	0.05	0.23	<b>-0.77</b>	-0.07	0.71
intelligent	0.07	0.01	-0.02	<b>0.69</b>	0.23	0.53
persistent	0.4	0.00	-0.18	<b>0.65</b>	0.08	0.62
inventive	0.22	-0.19	0.21	<b>0.61</b>	0.27	0.58
sensitive	0.11	0.32	0.14	<b>0.59</b>	-0.12	0.49
patient	-0.3	<b>0.45</b>	-0.1	<b>0.45</b>	-0.05	0.51
exploratory	-0.08	0.01	-0.18	0.38	<b>0.66</b>	0.61
lazy	0.18	0.34	0.05	-0.01	<b>-0.65</b>	0.57
inquisitive	-0.02	0.02	-0.3	0.4	<b>0.63</b>	0.64
active	0.09	<b>-0.42</b>	0.15	-0.11	<b>0.61</b>	0.59
opportunistic	0.23	-0.2	-0.32	0.33	<b>0.47</b>	0.53
alert	-0.06	-0.01	-0.32	-0.03	0.38	0.25
solitary	0.2	-0.21	0.22	-0.03	-0.38	0.27
proportion of variance	0.18	0.14	0.13	0.07	0.06	